


04:TOTEM



04:GLOBE →

04:TOTEMCLAM →

04:PYLONE →

We show you the way

alu SIGN
→

04:TOTEM

04:TOTEM



With its wide and versatile range, Totem gives you visibility and communication all in one. Built to resist the strongest winds and all kinds of weather, its static strength is both imposing and impressive. Above all it remains an elegant tool to further promote your company or identity.

Totem is in fact made up of the Globe, Totem and Pylone attributes, all made with a view to enhancing your visibility.

RANGE


- GLOBE
- TOTEM CLAM
- PYLONE




GLOBE profiles come in three sizes, 85, 135 and 180 mm and thorough research guarantees resistance to all kinds of weather. The system can be used with aluminium composite panels with single and double-sided illuminated signs.

Full column visibility is handled by the dibox in combination with aluminium plates, which gives a solid and impressive impression. As always, the whole range of profiles are in stock and can be supplied in mill finish, anodised or in a power coated finish.

Sophisticated flexibility



180 mm



135 mm






85 mm



Using two **TOTEM CLAMS**, with a diameter of 60 or 90 mm, you can transform your Outdoor system to grant you extra visibility. The Totem clams can be linked to one another using 2 to 6 mm plates that results in an attractive, easy on the eye column.

Heightening your message



PYLONE's single profiles in the shape of airplane wings range 300 and 400 mm and have the benefit of there being no assembly required. They can be used both indoors and outdoors. The beauty of Pylone is that it can be used both for signposting as well as an advertising tool.

Top to bottom visibility

25e show you the way

01: INDOOR

02: OUTDOOR

03: PLATO

04: TOTEM

05: HIGHLIGHT



alu SIGN
→

Alusign

Hoeikensstraat 5 bus 110 - 2830 Willebroek - Belgium

Tel.: +32 (0)3 886 53 00 - Fax: + 32 (0)3 886 73 00 - www.alusign.com

BTW: BE 0479-015-989

Your Alusign specialist:

Blank area for contact information.